

In the Abstract

Please cancel Claim 5.

Please amend the claims as follows:

1. (Currently Amended) An apparatus for mounting within a stationary cabinet between a door of said cabinet and shelving found therein, said apparatus comprising:

a plurality of one or more sheets of planar material, at least a portion of said sheets being attachable to by a magnet;

a hinge mechanism coupled to said sheets of rigid material, said sheets of planar material being sized smaller than an opening within said cabinet; and

a hinge pin insertable within said hinge mechanism, said hinge pin being mountable within said cabinet such that said sheets of planar material are rotatable within said cabinet when the door thereto is open,

wherein at least portions of said sheets of material are magnetically adhereable to one another so that said sheets of material when magnetically adhered to one another may rotate as a unit, at least portions of said sheets having magnetic material therein for enabling magnetic adhereability,

wherein at least one side of at least one of said plurality of sheets of material includes an erasable surface for non-permanent markers.

2. (Currently Amended) The apparatus of Claim 1, wherein said hinge mechanism is integral to said sheets of rigid material.

3. (Currently Amended) The apparatus of Claim 1, wherein said plurality of sheets of material include at least one tab sections positioned at a locations different from one another. ~~tab sections of other of said sheets of material.~~

4. (Original) The apparatus of Claim 1, further including a mountable flange housing, wherein said hinge pin is received within said mountable flange housing.

5. (Cancelled) The apparatus of Claim 6, wherein said one or more sheets of planar material include multiple sheets, wherein at least portions of said sheets of material are magnetically adhereable to one another so that said sheets of material when magnetically adhered to one another may rotate as a unit.

6. (Currently Amended) The apparatus of Claim 1, wherein said magnetic material is included in a substantial portion of said plurality of sheets. ~~at least one side of at least one page of said sheets of material includes an erasable surface for non-permanent markers.~~

7. (Currently Amended) The apparatus of Claim 6, wherein at least a portion of one side of at least one ~~page~~ of said sheets of material includes a chalk board surface.

8. (Currently Amended) The apparatus of Claim 1, wherein at least one of said sheets of material and said hinge mechanism are at an offset angle so as to provide greater distances between adjacent sheets of material.

9. (Currently Amended) An apparatus comprising:
a stationary cabinet having a top surface and a bottom surface and shelving located therein;
a plurality of one or more rigid planar pages having at least one side thereof being of sufficient magnetic permeability so that a magnet may be attached thereto;
at least one hinge tube coupled to each of said pages;
a hinge pin receivable into said hinge tube of each of said pages, said hinge pin being mountable between said top and bottom surface of said cabinet proximate an opening of the cabinet near a cabinet door therefor and between said cabinet door and said shelving, said pages being rotatable and accessible within said cabinet when the corresponding cabinet door is opened,
wherein at least portions of said pages are magnetically adhereable to one another so that said pages when magnetically adhered to one another may rotate as a unit, at least

portions of said pages having magnetic material therein for enabling magnetic adhereability.

wherein at least one side of said one or more pages includes an erasable surface for non-permanent markers.

10. (Currently Amended) The apparatus of Claim 9, wherein said hinge tube is integral to said plurality of sheet of rigid material~~pages~~.

11. (Currently Amended) The apparatus of Claim 10, wherein said pages include ~~at least one tab sections~~ positioned at a ~~locations~~ different from one another. ~~tab sections of other of said pages.~~

12. (Original) The apparatus of Claim 9, wherein said hinge pin is received within a mountable flange housing.

13. (Currently Amended) The apparatus of Claim 9, wherein said magnetic material is included in a substantial portion of said plurality of pages. ~~further including multiple ones of said pages, wherein at least portions of said pages are magnetically adhereable to one another so that said pages when magnetically adhered to one another may rotate as a unit.~~

14. (Currently Amended) The apparatus of Claim 189, wherein said magnetic material is included in a substantial portion of said plurality of pages. ~~at least one side of at least one page of said one or more pages includes an erasable surface for non-permanent markers.~~

15. (Currently Amended) The apparatus of Claim 9, wherein at least a portion of one side of at least one ~~page~~ of said pages includes a chalk board surface.

16. (Currently Amended) The apparatus of Claim 9, wherein at least one of said pages and said hinge mechanism are at an offset angle so as to provide greater distances between adjacent pages.

17. (Original) The apparatus of Claim 9, wherein said hinge pin is spring loaded.

18. (Currently Amended) An apparatus for use within an interior space of a stationary kitchen-type cabinet defined using a top surface and a bottom surface, said apparatus comprising:

a plurality of rigid planar pages having at least one side thereof being of sufficient magnetic permeability so that a magnet may be attached thereto;

at least one hinge tube coupled to each of said pages;

a hinge pin receivable into said hinge tube of each of said pages, said hinge pin being mountable between said top and bottom surface of said interior space proximate an opening thereof, said pages being rotatable when said interior space is accessible, wherein at least portions of said pages are magnetically adhereable to one another so that said pages of material when magnetically adhered to one another may rotate as a unit

further including multiple ones of said pages, wherein at least portions of said pages are magnetically adhereable to one another so that said pages when magnetically adhered to one another may rotate as a unit, at least portions of said pages having magnetic material therein for enabling magnetic adhereability

wherein at least one side of said one or more pages includes an erasable surface for non-permanent markers.

19. (Currently Amended) A method for locating a memo board in a defined space of a stationary cabinet having shelving therein, said method comprising the steps of:

providing a plurality of rigid planar pages having at least one side thereof being of sufficient magnetic permeability so that a magnet may be attached thereto, said rigid pages having at least one hinge tube coupled to each of said pages;

further providing a hinge pin receivable into said hinge tube of each of said pages;
and

mounting said hinge pin between a top and bottom used to define an interior space
and between said shelving and a door of said cabinet, said pages being rotatable on said
hinge pin when said interior space is accessible

wherein at least portions of said pages are magnetically adhereable to one another
so that said pages when magnetically adhered to one another may rotate as a unit, at least
portions of said pages having magnetic material therein for enabling magnetic
adhereability

wherein at least one side of said one or more pages includes an erasable surface
for non-permanent markers.

20. (Currently Amended) The method of Claim 194, wherein said magnetic
material is included in a substantial portion of said plurality of pages. further including
said cabinet having shelving therein.